Serial No. 10/507,354

Listing of Claims

- (Canceled)
- 2. (Canceled)
- (Canceled)
- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)
- (Canceled)
- (Original) A method for treating water, sediment, or soil containing pollutants by the step
 of contacting the pollutant containing water, sediment, fractured rock, or soil with a
 multi-functional sequestration agent comprising bauxite in its relatively natural form.
- (Original) The method according to claim 8, wherein said multi-functional sequestration agent is formed into a permeable vertical barrier.
- (Original) The method according to claim 8, wherein said multi-functional sequestration agent is formed into a permeable horizontal barrier or cap.
- (Original) The method according to claim 8, wherein said multi-functional sequestration agent is mixed with the environmental media to be cleaned.
- (Original) A method for removing or inactivating microorganisms in an emission or in the environment comprising contacting the microorganism with a mineral selected from bauxite, copper ores, and mixtures thereof.
- 13. (Original) The method according to claims 8 or 12 wherein said bauxite is crushed.

- 14. (Original) The method according to claims 8 or 12 wherein said bauxite is granular.
- 15. (Original) The method according to claims 8 or 12 wherein said bauxite is a powder.
- (Original) The method according to claims 8 or 12 wherein said bauxite is installed as a subsurface mineral ore barrier.
- (Original) The method according to claims 8 or 12 wherein said bauxite is in a permeable barrier.
- (Original) The method according to claim 17, wherein said permeable barrier is installed in the path of groundwater flow.
- 19. (Original) The method according to claims 8 or 12 wherein said water is groundwater.
- 20. (Original) The method according to claims 8 or 12 wherein said water is surface water.
- (Original) The method according to claims 8 or 12 wherein said contacting is by mixing said bauxite with said water, sediment, fractured rock, or soil.
- 22. (Original) The method according to claim 8, wherein the pollutant is a heavy metal.
- (Original) A sequester for treating water, sediment, fractured rock, or soil containing heavy metals comprising: bauxite in its relatively natural form mixed with said water, sediment, or soil.
- (Original) The sequester according to claim 23, wherein said bauxite comprises granulated or powdered bauxite.

- (Original) A permeable barrier for preventing migration of pollutants comprising:
 a multi-functional sequestration agent comprising bauxite in its relatively natural form.
- (Original) The permeable barrier according to claim 25, wherein said bauxite comprises granulated or powdered bauxite.